ORIGINAL

TSCA NON-CONFIDENTIAL BUSINESS INFORMATION DOCUMENT CONTROL NUMBER **DOCUMENT DESCRIPTION DATE RECEIVED** 88120000007 10/17/11 8EHQ-11-18464 COMMENTS:

DOES NOT CONTAIN CBI

BASF
The Chemical Company

REC ED

Helping Make Products Better™

338841

2011 OCT 17 AM 11: 00

October 13, 2011



Via Federal Express

United States Environmental Protection Agency - East Attn: TSCA Section 8(e) Room 6428 1201 Constitution Avenue, NW Washington, DC 20004

Subject: Notice in Accordance with Section 8(e): Results of a Repeated Dose 28-Day Oral

Toxicity Study in Male Wistar Rats with (Tinuvin 144); Propanedioic acid, [[3,5-bis(1,1-dimethylethyl)-4- hydroxyphenyl]methyl]butyl-, bis(1,2,2,6,6-pentamethyl-4- piperidinyl)

ester (CAS No. 63843-89-0)

Dear Section 8(e) Coordinator:

BASF Corporation is submitting results of a Repeated Dose 28-Day Oral Toxicity Study in Male Wistar Rats [Crl:WI(HAN)] with (Tinuvin 144); Propanedioic acid, [[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]methyl]butyl-, bis(1,2,2,6,6-pentamethyl-4-piperidinyl) ester (CAS No. 63843-89-0), conducted by BASF SE, Ludwigshafen, Germany. The substance is a light stabilizer and antioxidant in adhesives and sealants.

The aim of the study was to determine the toxicological profile of the test substance including the target organs and the "no observed adverse effect level" (NOAEL) of the test substance after 28-day oral administration in the male rat.

The test substance was administered by gavage to groups of 5 male Wistar rats for up to 28 days. The concentration levels were 0, 5, 25, 50 and 75 mg/kg body weight/day. Food and water consumption as well as body weights were determined once a week.

On study day 14, the high-dose group was sacrificed moribund because of severe clinical findings. On study day 22, the high mid-dose group (50 mg/kg bw/d) was sacrificed moribund because of severe clinical findings. At necropsy, these animals were only assessed by gross pathology. On study day 28, all surviving animals were sacrificed and examined by gross pathology. In addition, examination of liver, spleen and thymus weights as well hematology parameters were performed.





The Chemical Company

United States Environmental Protection Agency – East October 13, 2011
Page 2

The following is a summary of the most relevant results:

75 mg/kg body weight/day (treatment of 14 days):

- All male animals were sacrificed moribund on study day 14
- Body weight loss in all animals
- Reduced food consumption on study days 7 and 14
- Reduced water consumption on study day 14
- Piloerection in all animals starting on study day 8
- Poor general condition in all animals starting on study day 9
- Thickening of duodenum wall in all animals
- Enlarged liver in all animals
- Enlarged liver lymph node in 1 animal
- Reduced prostate size in all animals
- Reduced size of seminal vesicle in all animals
- Reduced thymus size in 3 animals

50 mg/kg body weight/day (treatment of 22 days):

- All male animals were sacrificed moribund on study day 22
- Body weight loss in all animals
- Reduced food consumption on study day 21
- Piloerection in 3 animals starting on study day 16
- Poor general condition in all animals starting on study day 21
- Hunched posture in 3 animals
- Intermittent respiration in 2 animals
- High-stepping gait in 1 animal
- Thickening of duodenum wall in all animals
- Enlarged liver in all animals
- Enlarged liver lymph node in 2 animal
- Enlarged spleen in 4 animals
- Reduced prostate size in all animals
- Reduced size of seminal vesicle in all animals
- Reduced thymus size in 1 animal



The Chemical Company

United States Environmental Protection Agency – East October 13, 2011
Page 3

25 mg/kg body weight/day (treatment of 28 days):

- Reduced body weight and body weight gain when compared to control animals
- Reduced food consumption on study day 28
- Thickening of jejunum wall in all animals
- Enlarged liver in 1 animal
- Enlarged mesenteric lymph nodes in all animals
- Enlarged spleen in 2 animals
- White foci in spleen of 3 animals
- Decreased terminal body weights
- Decreased red blood cell (RBC) counts, haemoglobin and hematokrit values
- Increased relative liver weights
- Increased absolute and relative spleen weights
- Increased platelet counts
- Increased total white blood cell counts
- Increased absolute and relative neutrophils counts
- Increased absolute and relative monocytes counts
- Increased absolute and relative large unstained cells (LUC) counts
- Increased absolute eosinophils and basophils counts
- Decreased relative lymphocytes counts

5 mg/kg body weight/day (treatment of 28 days):

- Increased total white blood cell counts
- Increased absolute and relative neutrophils counts
- Increased absolute and relative monocytes counts
- Increased absolute eosinophils counts
- Decreased relative lymphocytes counts

BASF Corporation understands that reporting of the results from this study under TSCA 8(e) is in accordance with EPA's policy.

If you have any questions, please contact the undersigned at (973) 245-6693.

Sincerely,

Janet Cerra

Janet Cerra

Product Regulatory Center of Expertise, North America

1236th Letter.doc

BASF Corporation 100 Campus Drive Florham Park, NJ 07932 Tel (800) 526-1072 www.basf.com/usa From: (973) 245-6693 Janet Cerra

BASF

100 Campus Drive

Florham Park, NJ 07932

Origin ID: LKKA





J11201108050225

BILL SENDER

SHIP TO: (202) 564-8930

Attn: TSCA Section 8(e)

USEPA East **Room 6428**

1201 Constitution Avenue, NW

Washington, DC 20004

Ship Date: 140CT11 ActWgt: 1.0 LB CAD: 4487533/INET3210

Delivery Address Bar Code



Ref# Invoice #

PO# Dept#

> MON - 17 OCT A1 STANDARD OVERNIGHT

TRK# 0201

7952 9373 1938

20004 DC-US DCA

SA RDVA



After printing this label

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.

2. Fold the printed page along the horizontal line.

3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com.FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim.Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental consequential, or special is limited to the greater of \$100 or the authorized declared value Recovery cannot exceed actual documented loss.Maximum for items of extraordinary value is \$500, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide Written claims must be filed within strict time limits, see current FedEx Service Guide.